

# SmallRig



## mini Quick-Release Tripod

Operating Instruction

SmallRig mini Quick-Release Tripod 4117 is a quick set-up tripod specially designed for stabilizers. Install the mini tripod at the bottom of the stabilizer and slide the top up to set up the support feet. Fast and easy to use. The 1/4"-20 screw on top of the tripod can be mounted to the bottom of the camera, cage, stabilizers, etc., while the silicone pad protects the equipment from scratches.

## **Safety Guidelines**

### **1. Environment**

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

### **2. Load Capacity**

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

### **3. Cleaning & Maintenance**

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

### **4. Structural Integrity**

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

### **5. Malfunctions**


Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

## **In the Box**

Guarantee Card × 1

mini Quick-Release Tripod × 1

# Product Details



### Maximum Compatibility and Comfort

1/4"-20 screw on top of the tripod allows universal compatibility with cameras, cages, stabilizers, etc., while the silicone pad protects the equipment from scratches

1/4"-20 Screw

Anti-slip Silicon Pad

Support Feet

Silicon Coating

Slide up

### Set Up in No Time!

Mount the mini tripod to the bottom of the stabilizer with the 1/4"-20 screw, slide the top plate up to set up the support feet

### Multiple Applications

Load-Bearing Capacity of 10.0kg (22.0lb)

Cage

Stabilizer

Camera

# Specifications

## Package

mini Quick-Release Tripod × 1

## Specifications

Product Dimensions	157.0 × 34.0 × 33.0mm / 6.2 × 1.33 × 1.3in
Package Dimensions	186.0 × 56.0 × 57.0mm / 7.3 × 2.2 × 2.24in
Product Weight	192.0 ± 5.0g / 6.8 ± 0.2oz
Package Weight	237.0 ± 5.0g / 8.3 ± 0.2oz
Material(s)	Aluminum Alloy, Stainless Steel, Silicone



Manufacturer Email: [support@smallrig.com](mailto:support@smallrig.com)

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

**RoHS**

**CE**



*Séparez les éléments avant de trier*



Made in China